

SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : ACACIA POWDER (Gum acacia, Gum arabic)
Article No. : 0003
Brand : Thomas Baker
CAS Number : 9000-01-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Chemical for synthesis

1.3 Details of the supplier of the safety data sheet

Company Name: Thomas Baker (Chemicals) Pvt. Ltd.
B3 & B4, MIDC, Chemical Zone, Ambernath 421501. Dist: Thane, India.

1.4 Emergency telephone

Emergency Phone # : +91 9307304329

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 Label elements

Not a hazardous substance or mixture.

2.3 Other hazards which do not result in classification

None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

CAS-No. : 9000-01-5

Components

No hazardous ingredients



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MID C CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



SECTION 4: FIRST-AID MEASURES

4.1. Description of first aid measures

- If inhaled : After inhalation: fresh air.
- In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
- In case of eye contact : After eye contact: rinse out with plenty of water. Remove contact lenses.
- If swallowed : After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.
- Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- Protection of first-aiders : For personal protection see section 8.
- Notes to physician : No data available

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media

- Suitable extinguishing media : Water
Foam
Carbon dioxide (CO₂)
Dry powder
- Unsuitable extinguishing media : For this substance/mixture no limitations of extinguishing agents are given.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



5.2 Special hazards arising from the substance or mixture

Specific hazards during : Combustible.
fire fighting

Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion : Nature of decomposition products not known.
Products

5.3 Advice for firefighters

Special protective equipment and precautions for fire-fighters

Special protective equip : In the event of fire, wear self-contained breathing
ment for fire-fighters apparatus.

Specific extinguishing : Prevent fire extinguishing water from contaminating
methods surface water or the ground water system.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Advice for non-emergency personnel:
Avoid inhalation of dusts.
Evacuate the danger area, observe emergency procedures, consult an expert.
Advice for emergency responders:
For personal protection see section 8.

6.2 Environmental precautions

Environmental : Do not let product enter drains.
precautions



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Cover drains. Collect, bind, and pump off spills
Observe possible material restrictions (see sections 7 and 10).
Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Handling

For precautions see section 2.2.

Precautions for safe handling

Storage

Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Tightly closed.
Dry.

Storage class : 11, Combustible Solids

Recommended storage temperature : Recommended storage temperature see product label.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls : No data available

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Safety glasses



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MID C CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact
Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Splash contact
Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D 36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection : required when dusts are generated.
Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter : Filter type P1
type:


The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hygiene measures : Change contaminated clothing. Wash hands after working with substance.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Color	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/ range	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Burning rate	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



Density : ca. 1.4 g/cm³

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : No data available

Oxidizing properties : none

Particle characteristics : No data available
Particle size

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2. Chemical stability

The product is chemically stable under standard ambient conditions (room temperature)



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MID C CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



10.3. Possibility of hazardous reactions

Violent reactions possible with:
Strong oxidizing agents

10.4. Conditions to avoid

no information available

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 16,000 mg/kg

Remarks: (RTECS)

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available



An ISO 9001:2015 Certified Company
Certificate No. 43391/22/S

SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: CE5945000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

Other adverse effects

No data available



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.
According to Quality Environment Regulation (Scheduled Waste) 2005, waste need to be sent to designated premise for recycle, treatment or disposal. Please contact Kualiti Alam for waste classification and correct disposal method.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods
IMDG : Not dangerous goods
IATA : Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.


SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SECTION 16: OTHER INFORMATION

NA

FOR THOMAS BAKER (CHEMICALS) PVT. LTD.



AUTHORISED SIGNATORY.

Information contained in this "Safety Data Sheet" is believed to be reliable but no representation, guarantee or warranties of any kind are made as to its accuracy, suitability for a particular application or results to be obtained from them. It is up to the manufacturer / seller/ user to ensure that the information contained in the safety data sheet is relevant to the product manufactured / handled or sold by him as the case may be. We make no warranties expressed or implied in respect of the adequacy of this document for any particular purpose.



An ISO 9001:2015 Certified Company
Certificate No. 43391/22/S