

# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbaker.com | sales@thomasbaker.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

**Product name :** Ammonium Chloride  
**Article No. :** 10133,10135,10144  
**Brand :** Thomas Baker  
**CAS No :** 12125-02-9

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3 Details of the supplier of the safety data sheet

Company Name: Thomas Baker (Chemicals) Pvt. Ltd.  
B3 & B4, MIDC, Chemical Zone, Ambernath 421501. Dist: Thane, India.

### 1.4 Emergency telephone

Emergency Phone # : +91 9307304329

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H302: Harmful if swallowed.  
Eye irritation, (Category 2) H319: Causes serious eye irritation

### 2.2 Label elements



Pictogram

Signal Word

Warning

Hazard Statements

H302

Harmful if swallowed.

H319

Causes serious eye irritation.

Precautionary Statements

P264

Wash skin thoroughly after handling.

P280

Wear eye protection/ face protection.

P301 + P312

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.



# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbakerc.com | sales@thomasbakerc.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P501	Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none

## Reduced Labeling (<= 125 ml)

Pictogram



Signal Word

Warning

Hazard Statements

none

Precautionary Statements

none

Supplemental Hazard Statements

none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substance

Synonyms : Salmiac  
Formula : H4CIN  
Molecular weight : 53,49 g/mol  
CAS-No. : 12125-02-9



An ISO 9001:2015 Certified Company  
Certificate No. 43391/22/S

REGISTERED OFFICE : 4/86, Bharat Mahal, Marine Drive, Mumbai 400 002. INDIA.  
Tel.: + 91 22 22811264 / 22815218 / 22815372 | Website: www.thomasbakerc.com

# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbaker.com | sales@thomasbaker.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



EC-No. : 235-186-4  
Index-No. : 017-014-00-8.

Component	Classification	Concentration
<b>ammonium chloride</b>		
CAS-No.	12125-02-9	Acute Tox. 4; Eye Irrit. 2; H302, H319
EC-No.	235-186-4	
Index-No.	017-014-00-8	
		<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: FIRST-AID MEASURES**

### **4.1 Description of first-aid measures**

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

After inhalation: fresh air.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### **4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available



# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbaker.com | sales@thomasbaker.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



## **SECTION 5: FIRE FIGHTING MEASURES**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

### **5.2 Special hazards arising from the substance or mixture**

Nitrogen oxides (NO<sub>x</sub>)

Hydrogen chloride gas

Not combustible.

Ambient fire may liberate hazardous vapours.

### **5.3 Advice for firefighters**

In the event of fire, wear self-contained breathing apparatus.

### **5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area.

Avoid generation of dusts.



# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbaker.com | sales@thomasbaker.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



## 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry.

#### Storage class

Storage class (TRGS 510): 11: Combustible Solids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Ingredients with workplace control parameters

#### Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value
Worker DNEL, longterm	inhalation	Systemic effects	43,97 mg/m <sup>3</sup>
Worker DNEL, longterm	dermal	Systemic effects	
Consumer DNEL, longterm	inhalation	Systemic effects	9,4 mg/m <sup>3</sup>
Consumer DNEL, longterm	dermal	Systemic effects	
Consumer DNEL, longterm	oral	Systemic effects	



# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: [info@thomasbaker.com](mailto:info@thomasbaker.com) | [sales@thomasbaker.com](mailto:sales@thomasbaker.com)  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



## Predicted No Effect Concentration (PNEC)

Compartment	Value
Fresh water	0,25 mg/l
Fresh water sediment	0,9 mg/kg
Sea water	0,025 mg/l
Sea sediment	0,09 mg/kg
Aquatic intermittent release	0,43 mg/l
Soil	50,7 mg/kg
Sewage treatment plant	13,1 mg/l

## 8.2 Exposure controls

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses.

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min



# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbaker.com | sales@thomasbaker.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



Material tested: KCL 741 Dermatril® L

## Body Protection

protective clothing

## Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

## Control of environmental exposure

Do not let product enter drains.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### PHYSICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a) Physical state	solid
b) Color	white
c) Odor	odorless
d) Melting point/freezing point	Melting point/ range: 338 °C - (sublimed)
f) Initial boiling point and boiling range	520 °C
f) Flammability (solid, gas)	The product is not flammable.
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	Not applicable
i) Autoignition temperature	> 400 °C - Relative self-ignition temperature for solids does not ignite



# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbaker.com | sales@thomasbaker.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



j) Decomposition temperature	Not applicable
k) pH	5 - 5,5 at 25 °C
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	372 g/l at 20 °C
n) Partition coefficient n-octanol/water	Not applicable for inorganic substances
o) Vapor pressure	1,3 hPa at 160,4 °C
p) Density	1,53 g/cm <sup>3</sup> at 25 °C
Relative density	No data available
q) Relative density	No data available
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	none

## 9.2 Other safety information

No data available

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:

alkali hydroxides

acids

Risk of ignition or formation of inflammable gases or vapours with:

halogen-halogen compounds

alkalines

alkaline substances

Risk of explosion with:



An ISO 9001:2015 Certified Company  
Certificate No. 43391/22/S

# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbaker.com | sales@thomasbaker.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



nitrates  
chlorates  
Heavy metal salts  
nitrites  
Hydrogen cyanide (hydrocyanic acid)  
Chlorine  
silver salt  
Strong oxidizing agents

## 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

Aluminum, Lead, Iron, Copper, copper compounds

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1 Information on toxicological effects**

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 1.410 mg/kg  
(OECD Test Guideline 401)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Symptoms: Possible damages:, mucosal irritations

LD50 Dermal - Rat - male and female - > 2.000 mg/kg

Remarks: (ECHA)

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: No skin irritation - 24 h  
(Draize Test)

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Eye irritation



An ISO 9001:2015 Certified Company  
Certificate No. 43391/22/S

REGISTERED OFFICE : 4/86, Bharat Mahal, Marine Drive, Mumbai 400 002. INDIA.  
Tel.: + 91 22 22811264 / 22815218 / 22815372 | Website: www.thomasbaker.com

# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbaker.com | sales@thomasbaker.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



Remarks: (ECHA)

## Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

## Germ cell mutagenicity

In vivo tests did not show mutagenic effects

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster lung cells

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 473

Result: positive

Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

## Carcinogenicity

No data available

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available



# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbaker.com | sales@thomasbaker.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



## Aspiration hazard

No data available

## 11.2 Additional Information

Assessment :

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - 1.695,7 mg/kg

Remarks: Subchronic toxicity

RTECS: BP4550000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting, diarrhoea. Systemic effect: after the uptake of very large quantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, haemolysis.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Cyprinus carpio (Carp) - 209,00 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia  
and other aquatic  
invertebrates

static test EC50 - Daphnia magna (Water flea) - 101 mg/l - 48 h

Remarks: (ECHA)

Toxicity to algae static test ErC50 - Chlorella vulgaris (Fresh water algae) - 1.300 mg/l - 5 d

Remarks: (ECHA)



# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbaker.com | sales@thomasbaker.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



Toxicity to bacteria static test EC50 - activated sludge - 1.310 mg/l - 0,5 h  
(OECD Test Guideline 209)

Toxicity to daphnia  
and other aquatic  
invertebrates(Chronic  
toxicity)

## 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

**Assessment :** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

No data available

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

No data available



# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbaker.com | sales@thomasbaker.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



## SECTION 14: TRANSPORT INFORMATION

### 14.1 UN number

ADR/RID: IMDG: IATA:

### 14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA: Not dangerous goods

### 14.3 Transport hazard class(es)

ADR/RID: IMDG: IATA:

### 14.4 Packaging group

ADR/RID: IMDG: IATA:

### 14.5 Environmental hazards

ADR/RID: No IMDG Marine pollutant: No IATA: No

### 14.6 Special precautions for user

No data available

#### Further information

Not classified as dangerous in the meaning of transport regulations.

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: ammonium chloride

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.



# SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.  
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,  
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3  
EMAIL: info@thomasbaker.com | sales@thomasbaker.com  
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396  
Revision Date 01-09-2025



Take note of Dir 94/33/EC on the protection of young people at work.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

### SECTION 16: OTHER INFORMATION

#### Full text of H-Statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

FOR THOMAS BAKER (CHEMICALS) PVT. LTD.



**AUTHORISED SIGNATORY.**

Information contained in this "Safety Data Sheet" is believed to be reliable but no representation, guarantee or warranties of any kind are made as to its accuracy, suitability for a particular application or results to be obtained from them. It is up to the manufacturer / seller/ user to ensure that the information contained in the safety data sheet is relevant to the product manufactured / handled or sold by him as the case may be. We make no warranties expressed or implied in respect of the adequacy of this document for any particular purpose.

