

SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : ACETALDEHYDE SOLUTION ABT. 20-30% (Ethanal 20 - 30%)
Article No. : 0137
Brand : Thomas Baker
CAS Number : 75-07-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Chemical for synthesis

1.3 Details of the supplier of the safety data sheet

Company Name: Thomas Baker (Chemicals) Pvt. Ltd.
B3 & B4, MIDC, Chemical Zone, Ambernath 421501. Dist: Thane, India.

1.4 Emergency telephone

Emergency Phone # : +91 9307304329

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Flammable liquids : Category 1

Serious eye damage/eye irritation : Category 2

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 1B

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



2.2 Label elements

Labelling according Regulation (EC) No 1272/2008



Hazard pictograms

Signal word

Danger

Hazard statement(s)

H224	Extremely flammable liquid and vapour.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.

Precautionary statement(s)

Prevention:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist or vapours.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P281	Use personal protective equipment as required.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



Response:

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

May form explosive peroxides.
Photosensitizer.
Lachrymator.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

CAS-No. : 75-07-0

Components

Chemical name	CAS-No.	Concentration (% w/w)
acetaldehyde	75-07-0	>= 60 -<= 100



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MID C CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



SECTION 4: FIRST-AID MEASURES

4.1. Description of first aid measures

- General advice : Show this safety data sheet to the doctor in attendance.
- If inhaled : After inhalation: fresh air. Call in physician.
- In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.
- In case of eye contact : After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.
- If swallowed : After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.
- Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- Protection of first-aiders : For personal protection see section 8.
- Notes to physician : No data available

SECTION 5: FIRE FIGHTING MEASURES


5.1 Extinguishing media

- Suitable extinguishing media : Water
Foam
Carbon dioxide (CO₂)
Dry powder
- Unsuitable extinguishing media : For this substance/mixture no limitations of extinguishing agents are given.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



5.2 Special hazards arising from the substance or mixture

Specific hazards during : Combustible.
fire fighting

Pay attention to flashback.

Vapours are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

Hazardous combustion : Carbon oxides
Products

5.3 Advice for firefighters

Special protective equipment and precautions for fire-fighters

Special protective equip : Stay in danger area only with self-contained breathing
ment for fire-fighters apparatus. Prevent skin contact by keeping a safe
distance or by wearing suitable protective clothing.

Specific extinguishing : Remove container from danger zone and cool with
methods water.
Prevent fire extinguishing water from contaminating
surface water or the ground water system.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Advice for non-emergency personnel:
Do not breathe vapours, aerosols.
Avoid substance contact.
Ensure adequate ventilation
Keep away from heat and sources of ignition.
Evacuate the danger area, observe emergency procedures, consult an expert.
Advice for emergency responders:
Wear appropriate personal protective equipment, as indicated in Section 8.

6.2 Environmental precautions

Environmental precautions : Do not let product enter drains.
Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7 and 10).
Take up carefully with liquid-absorbent material (e.g. Chemizorb®).
Dispose of properly. Clean up affected area.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Handling

For precautions see section 2.2.

Precautions for safe handling

Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition.
Take precautionary measures against static discharge.

Advice on safe handling : Work under hood. Do not inhale substance/mixture.
Avoid generation of vapours/aerosols.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MID C CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



Storage

Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Keep container tightly closed in a dry and well-ventilated place.

Keep away from heat and sources of ignition.

Keep locked up or in an area accessible only to qualified or authorised persons.

Storage class : 3, Flammable liquids

Recommended storage temperature : 2 - 8 °C

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetaldehyde	75-07-0	CEIL	25 ppm 45 mg/m ³	MY PEL
		C	25 ppm	ACGIH

8.2 Exposure controls

Appropriate engineering controls : No data available

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Tightly fitting safety goggles

Skin protection : Flame retardant antistatic protective clothing.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.7 mm
Protective index : Full contact
Manufacturer : Butoject® (KCL 898)

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.7 mm
Protective index : Splash contact
Manufacturer : Butoject® (KCL 898)

Remarks : This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D 36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection : required when vapours/aerosols are generated.
Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter type AX

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MID C CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



Hygiene measures : Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : liquid (20 °C , 1,013 hPa)

Color : colourless

Odor : pungent

Odor Threshold : No data available

pH : 5 (20 °C)

Melting point/ range : -123.5 °C

Boiling point/boiling range : 21 °C (1,013 hPa)

Flash point : -38.89 °C
Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Self-ignition : 175 °C
1,013 hPa

Upper explosion limit / : Upper explosion limit
Upper flammability limit 57 %(V)



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MID C CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



Lower explosion limit / : Lower explosion limit
Lower flammability limit 4 %(V)

Vapor pressure : 1,202 hPa (25 °C)

Relative vapour density : 1.52
(Air = 1.0)

Relative density : No data available

Density : 0.78 g/cm³ (16 °C)

Solubility(ies)
Water solubility : completely miscible

Partition coefficient: n- : log Pow: 0.63
octanol/water Bioaccumulation is not expected.

Autoignition temperature : 175 °C (1,013 hPa)

Decomposition tempera : No data available
ture

Viscosity, dynamic : 0.24 mPa.s (20 °C)

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 44.05 g/mol

Particle characteristics : No data available
Particle size



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Vapours may form explosive mixture with air.

10.2. Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3. Possibility of hazardous reactions

Avoid exposure to air any longer than necessary so as to prevent peroxide formation.

Stable under recommended storage conditions.

10.4. Conditions to avoid

Warming.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

(OECD Test Guideline 404)



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe irritations

Remarks: (RTECS)

Remarks: Lacrimal irritation due to vapours.
conjunctivitis

Respiratory or skin sensitization

Maximisation Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Suspected of causing genetic defects.

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: (ECHA)

Carcinogenicity

Presumed to have carcinogenic potential for humans

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MID C H E M I C A L Z O N E, A M B E R N A T H W E S T,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



11.2 Additional Information

RTECS: AB1925000

Blurred vision, Unconsciousness, Headache, Vomiting, Nausea, Pulmonary edema.

Effects may be delayed., Convulsions, sneezing, Cough, Shortness of breath

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Components:

acetaldehyde:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 31 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Remarks: (ECHA)

Toxicity to daphnia : EC50 (Daphnia magna (Water flea)): ca. 48.3 mg/l
And other aquatic : End point: Immobilization
invertebrates : Exposure time: 48 h
Test Type: static test
Remarks: (ECHA)

Toxicity to algae/aquatic : EC10 (Pseudokirchneriella subcapitata): > 100 mg/l
plants : Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes
ErC50 (Pseudokirchneriella subcapitata): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



12.2 Persistence and degradability

Components:

acetaldehyde:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 100 mg/l
Biochemical oxygen demand
Result: Readily biodegradable.
Biodegradation: 80 %
Exposure time: 14 d
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Components:

acetaldehyde:

Partition coefficient: n-octanol/water : log Pow: 0.63
Remarks: Bioaccumulation is not expected.

12.4 Mobility in soil

No data available

Other adverse effects

No data available.

Endocrine disrupting properties

No data available



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.
According to Quality Environment Regulation (Scheduled Waste) 2005, waste need to be sent to designated premise for recycle, treatment or disposal. Please contact Kualiti Alam for waste classification and correct disposal method.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR/RID: UN 1089 IMDG: UN 1089 IATA: UN 1089

14.2 UN proper shipping name

ADR/RID: ACETALDEHYDE

IMDG : ACETALDEHYDE

IATA : Acetaldehyde

14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packaging group

ADR/RID: I IMDG: I IATA: I

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.



SAFETY DATA SHEET


PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: qc@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 01.09.2026



SECTION 16: OTHER INFORMATION

NA

FOR THOMAS BAKER (CHEMICALS) PVT. LTD.



AUTHORISED SIGNATORY.

Information contained in this "Safety Data Sheet" is believed to be reliable but no representation, guarantee or warranties of any kind are made as to its accuracy, suitability for a particular application or results to be obtained from them. It is up to the manufacturer / seller/ user to ensure that the information contained in the safety data sheet is relevant to the product manufactured / handled or sold by him as the case may be. We make no warranties expressed or implied in respect of the adequacy of this document for any particular purpose.



An ISO 9001:2015 Certified Company
Certificate No. 43391/22/S

REGISTERED OFFICE : 4/86, Bharat Mahal, Marine Drive, Mumbai 400 002. INDIA.
Tel.: + 91 22 22811264 / 22815218 / 22815372 | Website: www.thomasbaker.com