PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070003
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27 A A A C T 4 2 2 1 B 1ZY | CIN NO.: U2 4 1 1 4 M H 1 9 8 0 P T C 0 2 3 3 9 6
Revision Date 04-08-2025



SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

**Product name: Acenaphthene** 

Article No. : 0034

**Brand**: Thomas Baker

**CAS Number: 83-32-9** 

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company Name: Thomas Baker (Chemicals) Pvt. Ltd.

B3 & B4, MIDC, Chemical Zone, Ambernath 421501. Dist: Thane, India.

1.4 Emergency telephone

Emergency Phone # : +91 9307304329

**SECTION 2: HAZARDS IDENTIFICATION** 

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements



Pictogram

Signal Word Warning

Hazard statement(s)

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/ container to an approved waste disposal plant.



PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070003
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27 A A A C T 4 2 2 1 B 1ZY | CIN NO.: U2 4 1 1 4 M H 1 9 8 0 P T C 0 2 3 3 9 6
Revision Date 04-08-2025



Supplemental Hazard Statements None

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) At levels of 0.1% or higher.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

CAS # : 83-32-9 MF : C12H10 EC No. : 201-469-6 M.W. : 154.21 g/mol

#### **SYNONYMS**

Acenaphthylene; 1,2-Dihydroacenaphthalene; 1,8-ethylenenaphthalene.

## **SECTION 4: FIRST-AID MEASURES**

## 4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Indication of any immediate medical attention and special treatment needed

No data available



PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070003
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 04-08-2025



### **SECTION 5: FIRE FIGHTING MEASURES**

## 5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **5.4** Further information

No data available

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

## **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in Suitable, closed containers for disposal.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.



PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070003
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27 A A A C T 4 2 2 1 B 1ZY | CIN NO.: U2 4 1 1 4 M H 1 9 8 0 P T C 0 2 3 3 9 6
Revision Date 04-08-2025



#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

**Components with workplace control parameters** 

### 8.2 Exposure controls

## **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### **Eve/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of

Protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided .

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### PHYSICAL PROPERTIES

Boiling Pt./Range : 278°C Physical State : Powder/Crystal

Appearance : White crystal M.Pt. : 92oC
Vapour Pressure @20oC : 10 mm Hg Odour :--Vapour Density (Air = 1) : 5.35 g/I Solubility in water @30oC : Insoluble

Evaporation rate :--- Specific Gravity (Water =1): ---



PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070003
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 04-08-2025



## **SECTION 10: STABILITY AND REACTIVITY**

## **10.1 Reactivity**

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

### **Acute toxicity**

No data available

LD50 Intraperitoneal - Rat - 600 mg/kg

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available



PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070003
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27 A A A C T 4 2 2 1 B 1ZY | CIN NO.: U2 4 1 1 4 M H 1 9 8 0 P T C 0 2 3 3 9 6
Revision Date 04-08-2025



#### Carcinogenicity

IARC: No component of this product present at levels greater than or equa 10.1% is Identified as probable, possible or confirmed human carcinogen by IARC.

### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: AB1000000

To the best of our knowledge, the chemical, physical, and toxicological properties have not Been thoroughly investigated.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 0.67 mg/l - 96.0 h LC50 - Pimephales promelas (fathead minnow) - 0.6 - 1.73 mg/l -

96, 0 h

Toxicity to daphnia

And other aquatic

Invertebrates

EC50 - Daphnia magna (Water flea) - 1, 27 - 3, 45 mg/l - 48 h

Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 0, 52 - 0, 53

Mg/l - 96 h

## 12.2 Persistence and degradability

## 12.3 Bioaccumulative potential

Bioaccumulation Lepomis macrochirus (Bluegill) - 28 d



PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070003
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27 A A A C T 4 2 2 1 B 1ZY | CIN NO.: U2 4 1 1 4 M H 1 9 8 0 P T C 0 2 3 3 9 6
Revision Date 04-08-2025



- 0, 00894 mg/l (Acenaphthene) Bioconcentration factor (BCF): 387

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at Levels of 0.1% or higher.

#### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or Mix the material with a combustible solvent and burn in a chemical incinerator equipped With an afterburner and scrubber. Waste material must be disposed of in accordance with The Directive on waste 2008/98/EC as well as other national and local regulations. Leave Chemicals in original containers. No mixing with other waste. Handle uncleaned containers Like the product itself.

#### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: TRANSPORT INFORMATION**

14.1 UN number

ADR/RID: 3077 IMDG: 3077 IATA: 3077

#### 14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Acenaphthene) IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Acenaphthene)

IATA: Environmentally hazardous substance, solid, n.o.s. (Acenaphthene)

**14.3** Transport hazard class(es)

ADR/RID: 9 IMDG: IATA: 9



PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27 A A A C T 4 2 2 1 B 1ZY | CIN NO.: U2 4 1 1 4 M H 1 9 8 0 P T C 0 2 3 3 9 6
Revision Date 04-08-2025



14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

## 14.6 Special precautions for user

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and Combination packagings containing inner packagings with Dangerous Goods > 5L for liquids Or > 5kg for solids.

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the Substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

Regulation (EC) No 850/2004 on persistent

Organic pollutants: Acenaphthene

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out



PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.

FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070003

EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27 A A A C T 4 2 2 1 B 1ZY | CIN NO.: U2 4 1 1 4 M H 1 9 8 0 P T C 0 2 3 3 9 6

Revision Date 04-08-2025



### **SECTION 16: OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### FOR THOMAS BAKER (CHEMICALS) PVT. LTD.



#### **AUTHORISED SIGNATORY.**

Information contained in this "Safety Data Sheet" is believed to be reliable but no representation, guarantee or warranties of any kind are made as to its accuracy, suitability for a particular application or results to be obtained from them. It is up to the manufacturer / seller/ user to ensure that the information contained in the safety data sheet is relevant to the product manufactured / handled or sold by him as the case may be. We make no warranties expressed or implied in respect of the adequacy of this document for any particular purpose particular purpose.

