

SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Acetic acid glacial
Article No. : 0704
Brand : Thomas Baker
CAS Number : 64-19-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company Name: Thomas Baker (Chemicals) Pvt. Ltd.
B3 & B4, MIDC, Chemical Zone, Ambernath 421501. Dist: Thane, India.

1.4 Emergency telephone

Emergency Phone # : +91 9307304329

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3)	H226: Flammable liquid and vapor.
Skin corrosion (Sub-category 1A)	H314: Causes severe skin burns and eye damage.
Serious eye damage (Category 1)	H318: Causes serious eye damage

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram




Signal Word	Danger
Hazard statement(s)	
H226	Flammable liquid and vapor.
H314	Causes severe skin burns and eye damage.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and
Other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated
Clothing. Rinse skin with water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard None
Statements

Reduced Labeling (<= 125 ml)

Pictogram



Signal Word Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face
Protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated
Clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue
Rinsing.

Supplemental Hazard none
Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent,
Bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at
Levels of 0.1% or higher.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



Ecological information:

The substance/mixture does not contain components considered to have endocrine Disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine Disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Lachrymator.

LABEL PRECAUTIONARY STATEMENTS

Corrosive, Flammable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

CAS # : 64-19-7
MF : C₂H₄O₂
EC No. : 200-580-7
M.W. : 60.05 g/mol

Component	Classification	Concentration
acetic acid		
CAS-No. 64-19-7 EC-No 200-580-7	Flam. Liq. 3; Skin Corr. 1A; Eye Dam. 1; H226, H314, H318 Concentration limits: >= 90 %: Skin Corr. 1A, H314; 25 - < 90 %: Skin Corr. 1B, H314; 10 - < 25 %: Skin Irrit. 2, H315; 10 - < 25 %: Eye Irrit. 2, H319;	<= 100 %

ADDITIONAL INFORMATION

Acetic acid, glacial

SYNONYMS

Acetic acid, Ethanoic acid, ethylic acid, glacial acetic acid, vinegar acid.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 003
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



SECTION 4: FIRST-AID MEASURES

4.1 Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Indication of any immediate medical attention and special treatment needed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, and consult an expert. For personal protection see section 8

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and Sources of ignition.
Moisture sensitive.

Storage class

Storage class (TRGS 510): 3: Flammable liquids



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Application Area	Routes of exposure	Health effect	Value
Workers	Inhalation	Acute local effects	25 mg/m ³
Workers	Inhalation	Long-term local effects	25 mg/m ³
Workers	Skin contact	Long-term local effects	10mg/kg BW/d
Consumers	Inhalation	Acute local effects	25 mg/m ³
Consumers	Inhalation	Long-term local effects	25 mg/m ³

Predicted No Effect Concentration (PNEC)

Compartment	Value
Soil	0,478 mg/kg
Sea water	0,3058 mg/l
Fresh water	3,058 mg/l
Sea sediment	1,136 mg/kg
Fresh water sediment	11,36 mg/kg
Sewage treatment plant	85 mg/l
Aquatic intermittent release	30,58 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, Supplied by us and for the designated use. When dissolving in or mixing with other Substances and under conditions deviating from those stated in EN 16523-1

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: filter E-(P2)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES


PHYSICAL PROPERTIES

a) Physical state	liquid
b) Color	colorless
c) Odor	stinging
d) Melting point/freezing point	Melting point/range: 16,2 °C - lit. 117 - 118 °C - lit.
e) Initial boiling point and boiling range	
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	Upper explosion limit: 19,9 %(V) Lower explosion limit: 4 %(V)
h) Flash point	39 °C - closed cup
i) Autoignition temperature	463 °C
j) Decomposition temperature	Distillable in an undecomposed state at normal pressure.
k) pH	2,5 at 50 g/l at 20 °C
l) Viscosity	Viscosity, kinematic: 1,17 mm ² /s at 20 °C Viscosity, dynamic: 1,05 mPa.s at 25 °C
m) Water solubility	602,9 g/l at 25 °C at 1.013 hPa - completely soluble
n) Partition coefficient: n-octanol/water	log Pow: -0,17 at 25 °C - Bioaccumulation is not expected., (ECHA)
o) Vapor pressure	20,79 hPa at 25 °C
p) Density	1,049 g/cm ³ at 25 °C - lit.
Relative density	No data available
q) Relative vapor density	No data available



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



r) Particle Characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	none

9.2 Other safety information

Surface tension	28. 8 mN/m at 10. 0 °C
Relative vapor	
Density	2. 07

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

peroxi compounds
perchloric acid
Fuming sulfuric acid
Phosphorus halides
Hydrogen peroxide
Chromium (VI) oxide
Potassium permanganate
Peroxides
Strong oxidizing agents

Risk of ignition or formation of inflammable gases or vapours with:

Iron
Zinc

Magnesium
Mild steel

Possible formation of:

Hydrogen

Violent reactions possible with:

Strong alkalis



An ISO 9001:2015 Certified Company
Certificate No. 43391/22/S

REGISTERED OFFICE : 4/86, Bharat Mahal, Marine Drive, Mumbai 400 002. INDIA.
Tel.: + 91 22 22811264 / 22815218 / 22815372 | Website: www.thomasbaker.com

SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



Aldehydes
Alkali hydroxides
Nonmetallic halides
Ethanolamine
Acetaldehyde
Alcohols
Halogen-halogen compounds
chlorosulfonic acid
chromosulfuric acid
Potassium hydroxide
Nitric acid

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 3.310 mg/kg

Remarks: (RTECS)

LC50 Inhalation - Mouse - 4 h - 2.819 mg/l

Remarks: (RTECS)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h

(OECD Test Guideline 404)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns. - 4 h
(OECD Test Guideline 405)

Remarks: (IUCLID)

Causes serious eye damage.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Micronucleus test

Species: Rat

Cell type: Bone marrow

Application Route: inhalation (vapor)

Method: Mutagenicity (micronucleus test)

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



Additional Information

RTECS: AF1225000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory Tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Ingestion or inhalation of concentrated acetic acid causes damage to tissues of the respiratory and digestive tracts. Symptoms include: hematemesis, bloody diarrhea, edema and/or perforation of the esophagus and pylorus, pancreatitis, hematuria, anuria, uremia, albuminuria, hemolysis, convulsions, bronchitis, pulmonary edema, pneumonia, cardiovascular collapse, shock, and death. Direct contact or exposure to high concentrations of vapor with skin or eyes can cause: erythema, blisters, and tissue destruction with slow healing, skin blackening, hyperkeratosis, fissures, corneal erosion, opacification, iritis, conjunctivitis, and possible blindness. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 1.000 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 1.000 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test EC50 - Skeletonema costatum - > 1.000 mg/l - 72 h (ISO 10253)
Toxicity to bacteria	EC5 - Pseudomonas putida - 2.850 mg/l - 16 h Remarks: neutral(maximum permissible toxic concentration)(Lit.) microtox test EC50 - Photobacterium phosphoreum - 11 mg/l - 15 min Remarks: (IUCLID)


12.2 Persistence and degradability

Biodegradability	Result: 99 % - Readily biodegradable. (OECD Test Guideline 301D) Remarks: (HSDB) Result: 95 % - Readily eliminated from water (OECD Test Guideline 302B)
------------------	--



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



Biochemical Oxygen Demand (BOD)	880 mg/g
Ratio BOD/ThBOD	Remarks: (Lit.)
	76 %
	Remarks: (IUCLID)

12.3 Bio accumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, Bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment: The substance/mixture does not contain components Considered to have endocrine disrupting properties According to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

No data available

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR/RID: 2789 IMDG: 2789 IATA: 2789

14.2 UN proper shipping name

ADR/RID: ACETIC ACID, GLACIAL
IMDG: ACETIC ACID, GLACIAL
IATA: Acetic acid, glacial



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



14.3 Transport hazard class (es)

ADR/RID: 8 (3) IMDG: 8 (3) IATA: 8 (3)

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code: (D/E)

Further information: No data available

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the Substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council On the control of major-accident hazards Involving dangerous substances.

P5c FLAMMABLE LIQUIDS

P5c FLAMMABLE LIQUIDS

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

- H226 Flammable liquid and vapour.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.

FOR THOMAS BAKER (CHEMICALS) PVT. LTD.



AUTHORISED SIGNATORY.

Information contained in this "Safety Data Sheet" is believed to be reliable but no representation, guarantee or warranties of any kind are made as to its accuracy, suitability for a particular application or results to be obtained from them. It is up to the manufacturer / seller/ user to ensure that the information contained in the safety data sheet is relevant to the product manufactured / handled or sold by him as the case may be. We make no warranties expressed or implied in respect of the adequacy of this document for any particular purpose.

