

SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING:

1.1 Product identifiers

Product name : Ammonia solution
Article No. : 9914
Brand : Thomas Baker
CAS Number : 1336-21-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company Name: Thomas Baker (Chemicals) Pvt. Ltd.
B3 & B4, MIDC, Chemical Zone, Ambernath 421501. Dist: Thane, India.

1.4 Emergency telephone

Emergency Phone # : +91 9307304329

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Skin corrosion, (Sub-category 1B)	H314: Causes severe skin burns and eye damage.
Serious eye damage, (Category 1)	H318: Causes serious eye damage.
Specific target organ toxicity – single exposure, (Category 3), Respiratory system	H335: May cause respiratory irritation.
Short-term (acute) aquatic hazard, (Category 1)	H400: Very toxic to aquatic life
Long-term (chronic) aquatic hazard, (Category 2)	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008




Pictogram



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



Signal Word	Danger
Hazard Statements	
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary Statements	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

Reduced Labeling (<= 125 ml)



Pictogram	
Signal Word	Danger
Hazard Statements	
H314	Causes severe skin burns and eye damage.
Precautionary Statements	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard	none



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Component	Classification	Concentration
ammonia solution		
CAS-No.	1336-21-6	>= 25 - < 30 %
EC-No.	215-647-6	
Index-No.	007-001-01-2	
Registration number	01-2119488876-14-XXXX	
	Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H314, H318, H335, H400, H410 Concentration limits: >= 5 %: STOT SE 3, H335; M-Factor - Aquatic Acute: 10 M-Factor - Aquatic Chronic: 1	

For the full text of the H-Statements mentioned in this Section, see Section 16



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



SECTION 4: FIRST-AID MEASURES

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves.

If inhaled

After inhalation: Remove to fresh air. If not breathing give artificial respiration. If breathing is difficult give oxygen. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.
Remove contact lenses.

If swallowed

After swallowing: Wash out mouth with water provided person is conscious. Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NO_x)

Not combustible.

Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



Ambient fire may liberate hazardous vapours.
Fire may cause evolution of:
nitrogen oxides

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemisorb® OH⁻, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



and face after working with substance.
For precautions see section 2.2

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal or light-weight-metal containers.
Keep container tightly closed. Store in a cool, and well ventilated area.
Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type K

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not empty into drains.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES


PHYSICAL PROPERTIES

a) Physical state	liquid
b) Color	colorless
c) Odor	stinging
d) Melting point/freezing point	Melting point: -57,5 °C
e) Initial boiling point and boiling range	37,7 °C at 1.013 hPa
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	Upper explosion limit: 33,6 %(V) Lower explosion limit: 15,4 %(V)
h) Flash point	No data available
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	at 20 °C strongly alkaline
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	at 20 °C soluble
n) Partition coefficient: n-octanol/water	log Pow: -1,38 - (anhydrous substance), (Lit.), Bioaccumulation is not expected.
o) Vapor pressure	483 hPa at 20 °C
p) Density	0,903 g/cm ³ at 20 °C
Relative density	No data available
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	Not classified as explosive.
t) Oxidizing properties	none



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



9.2 Other safety information

No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Oxidizing agents

Mercury

Oxygen

silver compounds

nitrogen trichloride

hydrogen peroxide

silver

antimony hydride

Halogens

Acids

Calcium

Chlorine

Chlorites

auric salts

perchlorates

sodium hypochlorite

mercury compounds

halogen oxides

Heavy metals

Heavy metal salts

Acid chlorides

Acid anhydrides

Risk of ignition or formation of inflammable gases or vapours with:



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



Boranes
Boron
Oxides of phosphorus
Nitric acid
silicon compounds
chromium(VI) oxide
chromyl chloride
Exothermic reaction with:
Acetaldehyde
Acrolein
Barium
boron compounds
Bromine
halogen-halogen compounds
hydrogen bromide
silane
Hydrogen chloride gas
halogen compounds
dimethylsulfate
nitrogen oxides
Fluorine
Hydrogen fluoride
chlorates
carbon dioxide
Ethylene oxide
Polymerizable

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

Aluminum, Lead, Nickel, silver, Zinc, Copper, metal alloys, various metals

10.6 Hazardous decomposition products

In the event of fire: see section 5



An ISO 9001:2015 Certified Company
Certificate No. 43391/22/S

REGISTERED OFFICE : 4/86, Bharat Mahal, Marine Drive, Mumbai 400 002. INDIA.
Tel.: + 91 22 22811264 / 22815218 / 22815372 | Website: www.thomasbaker.com

SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available

Symptoms: mucosal irritations, Cough, Shortness of breath, bronchitis, Possible damages:,
damage of respiratory tract

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Severe irritations

Remarks: (29% solution)

(RTECS)

Remarks: Dermatitis

Necrosis

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe irritations

Remarks: (29% solution)

(RTECS)

Remarks: Mixture causes serious eye damage.

Risk of blindness!

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation. - Respiratory system

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



Additional Information

Endocrine disrupting properties

Product:

Assessment:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cough

Shortness of breath

bronchitis

gastric pain

Bloody vomiting

Nausea

collapse

shock

Unconsciousness

Other dangerous properties cannot be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

ammonia solution

Acute toxicity

Oral: No data available

Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Dermal: No data available

Skin corrosion/irritation

Remarks: Causes skin burns.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

No data available


Germ cell mutagenicity

No data available



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

Biodegradability Remarks: No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment :

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



12.7 Other adverse effects

Biological effects:

Harmful effect due to pH shift.

Forms toxic and corrosive mixtures with water even if diluted.

Discharge into the environment must be avoided.

No data available

Components

ammonia solution

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 0,068 mg/l - 96 h

Remarks: (ECHA)

The value is given in analogy to the following substances:

ammonium sulphate

Toxicity to daphnia

and other aquatic

invertebrates

static test LC50 - Daphnia magna (Water flea) - 101 mg/l - 48 h

Remarks: (ECHA)

anhydrous

Toxicity to

fish(Chronic toxicity)

flow-through test NOEC - Ictalurus punctatus - 0,048 mg/l - 31 d

(OECD Test Guideline 215)

Remarks: anhydrous

Toxicity to daphnia

and other aquatic

invertebrates(Chronic toxicity)

flow-through test LC50 - Daphnia magna (Water flea) - 4,07 mg/l - 96 h

(US-EPA)

Remarks: The value is given in analogy to the following substances:

The value is given in analogy to the following substances:

ammonium chloride



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



flow-through test NOEC - Daphnia magna (Water flea) - 0,79
mg/l - 96 h
(US-EPA)

Remarks: The value is given in analogy to the following
substances:

The value is given in analogy to the following substances:
ammonium chloride

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

No data available

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR/RID: 2672 IMDG: 2672 IATA: 2672

14.2 UN proper shipping name

ADR/RID: AMMONIA SOLUTION

IMDG: AMMONIA SOLUTION

IATA: Ammonia solution

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

Tunnel restriction code: (E)

Further information: No data available



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1 ENVIRONMENTAL HAZARDS


15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance



SAFETY DATA SHEET

PREPARED BY: SAFETY COMMITTEE, THOMAS BAKER (CHEMICALS) PVT. LTD.
FACTORY: B3 AND B4 MIDC CHEMICAL ZONE, AMBERNATH WEST,
THANE, MAHARASHTRA, 421501 (INDIA). TEL: + 91 9307304329 | 9223070 00 3
EMAIL: info@thomasbaker.com | sales@thomasbaker.com
GST NO.: 27AAACT4221B1ZY | CIN NO.: U24114MH1980PTC023396
Revision Date 26.08.2024



SECTION 16: OTHER INFORMATION

Full text of H-Statements

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

FOR THOMAS BAKER (CHEMICALS) PVT. LTD.



AUTHORISED SIGNATORY.

Information contained in this "Safety Data Sheet" is believed to be reliable but no representation, guarantee or warranties of any kind are made as to its accuracy, suitability for a particular application or results to be obtained from them. It is up to the manufacturer / seller/ user to ensure that the information contained in the safety data sheet is relevant to the product manufactured / handled or sold by him as the case may be. We make no warranties expressed or implied in respect of the adequacy of this document for any particular purpose particular purpose.